

PVC CREVO SA TEKSTILOM

PVC crevo sa tekstilom:

Namena : Transport vode, vazduha I prehranu

Sastav : Meki PVC (plastika) ojačana tekstilnim opletom

Radni pritisak : od 6 bara do 20 bara

Radna temperatura : od -10°C do +60°C

Dimenzije : od $\varnothing 4$ do $\varnothing 50$





PVC CREVO

PVC crevo :

Namena : Trasnport vode , vazduha I prehranu


Sastav : Meki PVC (plastika)

Radni pritisak : od 6 bara do 20 bara

Radna temperatura : od -10°C do +60°C

Dimenzije : od Ø4do Ø50





PVC CREVO



PVC crevo za vazduh usisno-potisno sa čeličnom spiralom :

Namena : usisno - potisna cev za vazduh


Sastav : Meki PVC (plastika) sa spiralnom žicom

Radni pritisak : do 8 bara

Radna temperatura : od -10°C do +60°C

Dimenzije : do Ø150





PVC CREVO

PVC crevo za vazduh usisno-potisno sa PVC spiralom :

Namena : usisno - potisna cev za vazduh

Sastav : PVC meki netoksičan, sa ugrađenom spiralom od tvrdog PVC-a

Radni pritisak : do 8 bara

Radna temperatura : od -10°C do +60°C

Dimenzije : do Ø150

