



CREVA ZA KLIME , LETVE VOLANA I SERVA

Creva za klimu za putnička i teretna vozila

GTF – Freonska creva za klima uređaje , Auto klime

Namena : Transport freona

Sastav : Sintetička guma otporna na freon sa jednim ili više visokootpornim tekstilnim opletom.

Radna temperatura : -40°C do + 100°C (max 125°C)

NAZIV ARTIKLA	DN (mm)	Radni pritisak (bar)	Rasprskavajući pritisak (bar)
KLIMA DN 05	5	160	640
KLIMA DN 06	6	145	580
KLIMA DN 08	8	130	520
KLIMA DN 10	10	110	440
KLIMA DN 13	13(12)	93	372
KLIMA DN 16	16	80	320
KLIMA DN 19	19(20)	70	280
KLIMA DN 25	25	55	220
KLIMA DN 32	32(31)	45	180
KLIMA DN 38	38(40)	40	160





BAKARNE CEVI ZA KOČNICE

Bakarne cevi

CU cevi , Bakarne cevi za kočnice i sve vrste priključaka za kočnice





ČELICNE BEŠAVNE CEVI ZA VISOKI PRITISAK

Čelične bešavne cevi

Izrada bešavnih cevi za visoke pritiske za hidrauliku i kočnice sa usečnim prstenovima i maticama

