





CREVO 1 SN




Naziv artikla	DN	d1	d2	d3	Radni pritisak	Rasprsk. pritisak	min. radijus savijanja	Težina
	mm	mm	mm	mm	bar	bar	mm	kg/m
1 SN DN 06	6	6.4	13.4	11.1	225	900	100	0.28
1 SN DN 08	8	7.9	15.0	12.7	215	850	115	0.32
1 SN DN 10	10	9.5	17.4	15.1	180	720	130	0.40
1 SN DN 12	12	12.7	20.6	18.3	160	640	180	0.50
1 SN DN 16	16	15.9	23.7	21.4	130	520	200	0.66
1 SN DN 19	19	19.1	27.7	25.4	105	420	240	0.73
1 SN DN 25	25	25.4	35.6	33.3	88	350	300	1.08
1 SN DN 32	31	31.8	43.5	40.5	63	250	420	1.35
1 SN DN 38	38	38.1	50.6	46.8	50	200	500	1.70
1 SN DN 50	51	50.8	64.0	60.2	40	160	630	2.20




CREVO 2 SN

Naziv artikla	DN	d1	d2	d3	Radni pritisak	Rasprsk. pritisak	min. radijus savijanja	Težina
	mm	mm	mm	mm	bar	bar	mm	kg/m
2 SN DN 06	6	6.4	15.0	12.7	400	1600	100	0.40
2 SN DN 08	8	7.9	16.6	14.3	350	1400	115	0.48
2 SN DN 10	10	9.5	19.0	16.7	330	1320	130	0.59
2 SN DN 12	12	12.7	22.2	19.8	275	1100	180	0.71
2 SN DN 16	16	15.9	25.4	23.0	250	1000	200	0.85
2 SN DN 19	19	19.1	29.3	27.0	215	850	240	1.05
2 SN DN 25	25	25.4	38.1	34.9	165	650	300	1.40
2 SN DN 32	31	31.8	48.3	44.5	125	500	420	2.30
2 SN DN 38	38	38.1	54.6	50.8	90	360	500	2.70
2 SN DN 50	51	50.8	67.3	63.5	80	320	630	3.50




CREVO 4 SP

Naziv artikla	DN	d1	d2	d3	Radni pritisak	Rasprsk. pritisak	min. radijus savijanja	Težina
	mm	mm	mm	mm	bar	bar	mm	kg/m
4 SP DN 06	6	6.4	17.9	14.7	450	1800	150	0.60
4 SP DN 10	10	9.5	21.4	17.5	445	1780	180	0.80
4 SP DN 12	12	12.7	24.6	20.2	415	1660	230	0.95
4 SP DN 16	16	15.9	28.2	23.8	350	1400	250	1.15
4 SP DN 19	19	19.1	32.2	28.2	350	1400	300	1.55
4 SP DN 25	25	25.4	39.7	35.3	280	1120	340	2.05




CREVO 4 SH

Naziv artikla	DN	d1	d2	d3	Radni pritisak	Rasprsk. pritisak	min. radijus savijanja	Težina
	mm	mm	mm	mm	bar	bar	mm	kg/m
4 SH DN 16	16	16.0	28.5	25.5	450	1800	250	1.33
4 SH DN 19	19	19.0	32.0	28.0	420	1680	280	1.56
4 SH DN 25	25	25.4	38.0	35.0	380	1520	340	2.08
4 SH DN 32	31	32.0	45.0	42.0	325	1300	460	2.51
4 SH DN 38	38	39.0	53.0	49.0	290	1160	560	3.42
4 SH DN 50	51	50.8	68.0	63.0	250	1000	700	4.73



CREVO TEFLONSKO

Naziv artikla	DN	d1	d2	Radni pritisak	Rasprsk. pritisak	min. radijus savijanja	Težina
	mm	mm	mm	bar	bar	mm	kg/m
PTFE DN 05	5	4.8	7.9	265	1050	51	0.10
PTFE DN 06	6	6.4	9.8	245	980	76	0.15
PTFE DN 08	8	7.9	11.3	210	840	101	0.17
PTFE DN 10	10	9.5	12.8	175	700	114	0.19
PTFE DN 12	12	12.7	16.5	150	595	165	0.23
PTFE DN 16	16	15.9	19.8	105	420	195	0.25
PTFE DN 20	20	19.1	22.5	80	315	203	0.30
PTFE DN 25	25	25.4	28.8	65	266	254	0.46



CREVO TERMOPLASTIČNO

Naziv artikla	DN	d1	d2	Radni pritisak	Rasprsk. pritisak	min. radijus savijanja	Težina
	mm	mm	mm	bar	bar	mm	kg/m
MTH1-06	6	6.4	11.9	300	1200	40	0.170
MTH1-08	8	8.0	14.0	240	960	50	0.221
MTH1-10	10	9.5	16.0	225	900	60	0.260
MTH1-12	12	13.0	20.5	175	700	75	0.390
MTH1-16	16	16.3	23.3	150	600	110	0.412
MTH1-19	19	19.2	25.0	130	520	150	0.454
MTH1-25	25	25.6	32.5	105	420	185	0.618